

2 A short description of the PostBase One

PostBase One is a digital mailing system for medium to high mail volumes featuring a touch screen.


With its distinctive feature, the vertical letter transport, it can automatically process mail pieces of all sizes – ranging from a post card to letters ISO B4 with a thickness of up to 0.8" (20 mm).

The reliable ink-jet technology delivers clean meter imprints.

Modular concept

The modular concept allows for a flexible adaptation of the mailing system to the type and amount of your outgoing mail. The basic version, consisting of the PostBase One postage meter with hand feed tray, the static scale, and a letter catch tray, can easily be extended using components for automatic feeding, moistening / sealing, and dynamic weighing.

The PostBase One mailing system comes in two variants: with a processing speed of up to 120 letters per minute and up to 150 letters per minute.



Works Cited:

FP. "Operator Manual." PostBase ONE Support, May 2018, download.fp-usa.com/product_docs/PostBase/PostBase-ONE/PostBaseOne_USA_BA_51-0055-3071-00_Rev01_20180524.pdf.

- Intuitive operation* The PostBase One mailing system is characterized by intuitive operation: You switch the entire mailing system on or off by simply pushing the rocker switch. For all other operations, the clearly designed user interface in the 4.3 inch color display guides you fast and easy to the desired results.
- Metering* The Home screen shows all relevant information on the metering process at a glance. You simply select a postal product and position the mail piece – PostBase One will seize the letter and meter it, after which it is exited to the right side ready for dispatch. Metering is possible on letters and postcards made of ink-absorbing material and special self-adhesive labels.
- Letters as advertising medium* In addition to printing postage, you can print up to two advertising imprints of your choice on every mail piece you send. Advertising imprints may be graphical adverts / logos or SMS text messages.
- RemoteOne* For an even more user-friendly operation of the PostBase One mailing system via PC, use the RemoteOne software that is downloadable on our website. In addition to its ease of use, RemoteOne offers an extended functionality, e.g. setting your frequently used postal products as shortcuts and entering / editing text messages.
- Download postage* You conveniently download the postage for metering online from the data center into your mailing system. If desired, PostBase One can also, by itself, make sure there is always sufficient postage available and prompt you automatically to download postage.
- Remote Services: flexible and up to date* PostBase One ensures you are always using the current USPS postal rates. Whether new postage rates, new adverts or a software update – the mailing system downloads current data from the data center.

Works Cited:

Additional functions

The PostBase One mailing system offers a range of convenient additional functions. Among these are:

- The external **static scale** quickly and reliably determines the weight for mail pieces of up to 7 kg (15 lb). The determined weight directly affects the product settings.
- **Shortcut function** for frequently used postal products.
- **Account function** for separate registration and billing of postage costs.
- **Access control** – The PostBase One can be protected against unauthorized use via a PIN.
- **Label dispenser** to print self-adhesive labels, for large or thick mail pieces or for envelopes that are not suited for ink-jet printing.
- **Print lists** of register states and loading report.
- Variable **imprint offset** for changing the meter imprint position on the envelope.

Options


The following options are available to extend the base model and its range of functions:

- **PostBase One Feeder**. Separates the letters individually from the stack and transfers them to the postage meter. Letters can be added during operation.
- **PostBase One Sealer** – for mail pieces with a thickness of up to 0.28" (7 mm). The envelope flap is moistened in the sealer module and firmly pressed down in the power sealer.
- **PostBase One Dynamic Scale**. The dynamic scale (for mail pieces up to 2 lb) detects the weight and size of the mail piece while transporting it to the postage meter. Both values are transmitted to the postage meter, which automatically determines the correct product setting – this is especially useful for handling of mixed mail.
- **Differential weighing** – a special weighing mode of the static scale that helps you save time when weighing and metering large amounts of similar mail pieces.
- **Incoming mail stamp** for registering incoming mail.

Works Cited:



- Further options*
- **ReportOne** – In addition to RemoteOne’s entire functionality, ReportOne offers easy to handle administration and report features.
 - **MailOne 2.0** – Integrated Mailing and accounting software for PostBase Mailing Systems. This software package features, amongst others, Commercial Base Pricing discounts, unlimited 3-tier accounting, USPS tracking, comprehensive reporting, electronic certified / return receipt processing & tracking.

Works Cited:



Works Cited:


** optional*



Works Cited:

** optional*

Switch seal / non seal envelopes



Release key
(moistening unit)


Letter guide face (black)

Lid, behind
sealant tank

Housing connector

To open / close the lid:
shortly press on the marker

Connection cable
(to dynamic scale or
postage meter)




15-pin interface (P1)

Socket used for the
power supply unit

9-pin interface (P2)
(for service purposes only)



** optional*

Works Cited:



Works Cited:

* optional



Works Cited: